

Pacific HYCOM

**E. Joseph Metzger[†], Harley E. Hurlburt[†],
Alan J. Wallcraft[†], Luis Zamudio[‡] and Patrick J. Hogan[†]**

[†]Naval Research Laboratory, Stennis Space Center, MS

[‡]Center for Ocean-Atmospheric Prediction Studies, Florida State University

8th HYCOM Consortium / 1st HYCOM NOPP GODAE Meeting

19-21 August 2003

NCEP, Camp Springs, MD

| Report Documentation Page | | | Form Approved OMB No. 0704-0188 | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|------------------------------------------------------------------|-----------------------------------------------------|------------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. | | | | | |
| 1. REPORT DATE AUG 2003 | | 2. REPORT TYPE | | 3. DATES COVERED 00-00-2003 to 00-00-2003 | |
| 4. TITLE AND SUBTITLE Pacific HYCOM | | | 5a. CONTRACT NUMBER | | |
| | | | 5b. GRANT NUMBER | | |
| | | | 5c. PROGRAM ELEMENT NUMBER | | |
| 6. AUTHOR(S) | | | 5d. PROJECT NUMBER | | |
| | | | 5e. TASK NUMBER | | |
| | | | 5f. WORK UNIT NUMBER | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory,Stennis Space Center,MS,39529 | | | 8. PERFORMING ORGANIZATION REPORT NUMBER | | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) | | | 10. SPONSOR/MONITOR'S ACRONYM(S) | | |
| | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | | |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited | | | | | |
| 13. SUPPLEMENTARY NOTES | | | | | |
| 14. ABSTRACT | | | | | |
| 15. SUBJECT TERMS | | | | | |
| 16. SECURITY CLASSIFICATION OF: | | | 17. LIMITATION OF ABSTRACT Same as Report (SAR) | 18. NUMBER OF PAGES 27 | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT unclassified | b. ABSTRACT unclassified | c. THIS PAGE unclassified | | | |

Pacific HYCOM Model Configuration

- Horizontal grid: $1/12^\circ$ equatorial resolution (2294 x 1362 grid points, 6.5 km spacing on average)
- 20°S to 65.8°N
- 20 vertical coordinates
- KPP mixed layer model
- Surface forcing: (wind stress, wind speed, thermal forcing, precipitation, relaxation to climatological SSS)
- Monthly river runoff (254 rivers)
- Buffer zone: $\sim 3^\circ$ band along southern and eastern boundary with relaxation to monthly climatological (GDDEM3) T and S
- Closed boundaries along 20°S , in the Indonesian throughflow region and in the Bering Strait

1/12° Pacific HYCOM Modeling Progress


- 1/12° simulations (started from 1/6° simulations)
 - high frequency Hellerman and Rosenstein (1983, JPO) (HR) climatological forced simulation (9.5 years) – version 2.0.02
 - high frequency European Centre for Medium-range Weather Forecasts (ECMWF) climatological forced simulation (13.5 years) – version 2.0.02
 - high frequency European Centre for Medium-range Weather Forecasts (ECMWF) climatological forced simulation (6.5 years) – version 2.1.09
 - 1979-2003 European Centre for Medium-range Weather Forecasts (ECMWF) interannual forced simulation (through January 1985) – version 2.1.09
 - FNMOC NOGAPS/ECMWF interannual simulation January 2001 – December 2001, a period that spanned the life cycle of Hurricane Juliette – version 2.1.09

Improvements Between the Two ECMWF Forced Simulations

- HYCOM code upgrade: v2.0.02 \Rightarrow v2.1.09
 - Thin deep isopycnal layer capability
 - PLM vertical remapping for fixed coordinate layers
 - COARE 2.6 heat flux (flxflg = 4) vs. Kara *et al.* (flxflg = 2)
 - Bug-fixed ice model
- Longwave SST correction
- Monthly shortwave attenuation coefficients - turbidity
- Relaxation (surface salinity and at southern boundary) based on GDEM3
- Precipitation based on 1991-2001 ECMWF data
- Monthly river input (254 rivers)

1/12° Pacific HYCOM Basin-scale Circulation

SSH Snapshot – 21 March




Forced with high frequency climatological ECMWF winds and thermal forcing

1/12° Pacific HYCOM

Zoom on the Kuroshio

SSH and SST Snapshot – 21 March




Forced with high frequency climatological ECMWF winds and thermal forcing


Comparison of the Basin-scale Circulation

MODAS climatology vs. 1/12° Pacific HYCOM

Mean dynamic
height (dyn cm)
wrt 1000 db




4-yr mean
SSH (cm)



Forced with high frequency climatological ECMWF winds and thermal forcing

1/12° Pacific HYCOM Basin-scale SST


4 year mean




Forced with high frequency climatological ECMWF winds and thermal forcing

Comparison of the Basin-scale SST


Pathfinder vs. 1/12° Pacific HYCOM SST Mean Error



Comparison of the Zonal Average SST Pathfinder vs. 1/12° Pacific HYCOM




Mean
Error



RMSE

Include latitude-weighted domain average somewhere


Mean SSH in Luzon Strait



Forced with high frequency climatological ECMWF winds and thermal forcing

Velocity Cross-section Across Luzon Strait

Sb-ADCP data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 300 m
Section along 120.75°E between Taiwan and Luzon




Sb-ADCP data from Liang et al. (2003, DSR Pt. II)

4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing

No ocean data assimilation in HYCOM

Velocity Cross-section Along Luzon Strait

Sb-ADCP data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 300 m
Section along 21°N between 118.5°E and 124.0°E




Sb-ADCP data from Liang et al. (2003, DSR Pt. II)

4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM

Velocity Cross-sections East of Taiwan

Sb-ADCP data (**top**) vs. 1/12° Pacific HYCOM (**bottom**) in the upper 300 m
Sections at 22°N, 23°N, 24°N and 25°N




Sb-ADCP data from Liang et al. (2003, DSR Pt. II)

4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing

No ocean data assimilation in HYCOM

Note how the two-core Kuroshio merges to a single jet in both the observations and HYCOM from the south to north along the Taiwan coast

Current meter data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 1000 m




PCM-1 data from September 1995 to May 1996


Current meter data from Lee et al. (2001, JGR)
4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM

Velocity Cross-section Along the Equator

TOGA TAO data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 300 m
Section between 165°E and 110°W



EUC max velocity:
90+ cm/s



EUC max velocity:
90+ cm/s


TOGA TAO buoy data from Yu and McPhaden (1999, JPO)

4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing


No ocean data assimilation in HYCOM

Velocity Cross-section Across the Equator at 135°W

CTD/ADCP data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 400 m
Section between 8°S and 8°N



EUC max velocity:
90+ cm/s at
~105 m depth




EUC max velocity:
90+ cm/s at
~140 m depth

CTD/ADCP data from Johnson et al. (2001, JPO)
4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM


Velocity Cross-section Across the Equator at 135°W

1/12° Pacific HYCOM v2.1.09 (top) vs. v2.0.02 (bottom) in the upper 400 m

Section between 8°S and 8°N



EUC max velocity:
90+ cm/s at
~140 m depth




EUC max velocity:
80+ cm/s at
~145 m depth

HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM

Temperature Cross-section Across the Equator at 135°W

CTD/ADCP data (top) vs. 1/12° Pacific HYCOM (bottom) in the upper 400 m
Section between 8°S and 8°N




CTD/ADCP data from Johnson et al. (2001, JPO)

4 year mean from HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM

Temperature Cross-section Across the Equator at 135°W


1/12° Pacific HYCOM v2.1.09 (top) vs. v2.0.02 (bottom) in the upper 400 m
Section between 8°S and 8°N



HYCOM forced with high-frequency ECMWF winds and thermal forcing
No ocean data assimilation in HYCOM

North Pacific Intermediate Water in HYCOM

Salinity vs. depth along 150°E







Salinity on layer 13 – $26.8 \sigma_\theta$


Interannual Variability in 1/12° Pacific HYCOM

Equatorial Undercurrent


Annual mean zonal velocities along the Equator (165°E-110°W)




El Niño in 1/12° Pacific HYCOM



El Niño in 1/12° Pacific HYCOM



Tracks of Tropical Storm Ivo and Hurricane Juliette





Source: National Hurricane Center

1/12° Pacific HYCOM Response to Hurricane Juliette


SSH anomaly – 28 September 2001

SST anomaly – 30 September 2001



1/12° Pacific HYCOM forced with FNMOC NOGAPS/ECMWF winds and FNMOC NOGAPS thermal forcing. No data have been assimilated into this model.

Observed Versus Modeled Sea Level Anomaly Along the Mexican Coast Associated With the Coastally Trapped Waves (CTW) Generated by Hurricane Juliette in Sept/Oct 2001



1/12° Pacific HYCOM forced with FNMOC NOGAPS/ECMWF winds and FNMOC NOGAPS thermal forcing. No data have been assimilated into this model. Sea level data provided by the University of Hawaii and the Secretaria de Marina de México (Mexican Navy).